Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	715/532 CCLS.	US-PGPUB	OR	ON	2005/02/23 16:48
L2	69	704/10.CCLS.	US-PGPUB	OR	ON	2005/02/23 16:48
L3	51	706/16.CCLS.	US-PGPUB	OR	ON	2005/02/23 16:48
L4	40	706/21.CCLS.	US-PGPUB	OR	ON	2005/02/23 16:48
L5	1322	707/100.CCLS.	US-PGPUB	OR	ON	2005/02/23 16:48
L6	88	L3 xor L4 L3 and L4	US-PGPUB	OR	ON	2005/02/23 16:48
L7	98	L1 xor L2 L1 and L2	US-PGPUB	OR	ON	2005/02/23 16:48
L8	186	L6 xor L7 L6 and L7	US-PGPUB	OR	ON	2005/02/23 16:48
L9	1507	L8 xor L5 L8 and L5	US-PGPUB	OR	ON	2005/02/23 16:48
L10	4053663	requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L11	2724958	necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L12	4891174	L10 L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L13	3030246	need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L14	1465023	essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L15	39393	indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L16	5979874	L12 L13 L14 L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:48
L17	0	L16 and L9	USPAT	OR	ON	2005/02/23 16:50

L18	6954034	(sum\$7 total\$5 accumulat\$4 aggregat\$4 add\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:50
L19	0	L18 and L9	USPAT	OR	ON	2005/02/23 16:50
L20	5743886	differ\$5 remain\$4 subtra\$6 minu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:50
L21	0	L20 and L9	USPAT	OR	ON	2005/02/23 16:50
L22	30502	keyword\$1 (key adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 16:50
L23	0	L22 and L9	USPAT	OR	ON	2005/02/23 16:52
L24	0	9 and dictionar\$3	USPAT	OR	ON	2005/02/23 16:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 3	2	( 0,070,082 0,327,583 ).pii.	USPAT	::OR	ON	2005/02/23 15:09

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	715/532:CCLS.	US-PGPUB	OR	ON	2005/02/23 14:37
L2	0	74/10.CCLS.	US-PGPUB	OR	ON	2005/02/23 14:37
L3	69	704/10.CCLS.	US-PGPUB	OR	ON	2005/02/23 14:37
L4	51	706/16.CCLS.	US-PGPUB	OR	ON	2005/02/23 14:37
L5	40	706/21.CCLS.	US-PGPUB	OR	ON	2005/02/23 14:38
L6	1322	707/100.CCLS.	US-PGPUB	OR	ON	2005/02/23 14:38
L7	88	4 xor 5 4 and 5	US-PGPUB	OR	ON	2005/02/23 14:39
L8	98	1 xor 3 1 and 3	US-PGPUB	OR	ON	2005/02/23 14:39
L9	186	7 xor 8.7 and 8	US-PGPUB	OR	ON	2005/02/23 14:40
L10	1507	9 xor 6 9 and 6	US-PGPUB	OR	ON	2005/02/23 14:40
L11	4053663	requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L12	2724958	necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L13	796	no\$2requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L14	372	no\$2necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/23 14:40
L15	3079	.un\$1requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2005/02/23 14:40
L16	467941	un\$1necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L1-7	471688	L13 L14 L15 L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40

L18	4891174	L11 L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L19	318	no\$2need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L20	19203	no\$2essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:40
L21	1506	10 and @ad>="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:58
L22	6954034	(sum\$7 total\$5 accumulat\$4 aggregat\$4 add\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L23	3030246	need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R	ON	2005/02/23 14:43
L24	1465023	essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L25	39393	indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L26	5979874	L18 L23 L24 L25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L27	7909	un\$1need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/02/23 14:43

L28	635	un\$1essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L29	8	no\$2indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L30	495977	L17 L27 L19 L28 L20 L29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L31	5743886	differ\$5 remain\$4 subtra\$6 minu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L32	326204	L22 adj3 L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L33	8486	£22 adj3 £30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L34	30502	keyword\$1 (key adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L35	1784	L32 and L33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L36	24	L35 and L31 and L34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
L37	0	21 and L36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:43
S75	1	"20020099676".DID.	US-PGPUB	OR	ON	2005/02/23 14:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"05128153".pn.	JPO	OR	ON	2005/02/23 10:41
L2	64	tajima-toshiyuki.in.	JPO	OR	ON	2005/02/23 10:41
L3	0	toshiyuki-tajima.in.	JPO	OR	ON	2005/02/23 10:41
L4	1200156	"29" and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L5	4053663	requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L6	2724958	necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L7	796	no\$2requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L8	372	no\$2necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L9	3079	un\$1requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L10	467941	un\$1necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L111	471688	L7 L8 L9 L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L12	4891174	L5 L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45

L13	6954034	(sum\$7 total\$5 accumulat\$4 aggregat\$4 add\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L14	3030246	need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L15	1465023	essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2005/02/23 10:45
L16	39393	indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L17	5979874	L12 L14 L15 L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L18	7909	un\$1need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L19	318	no\$2need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L20	635	un\$1essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L21	19203	no\$2essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L22	8	no\$2indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45

L23	495977	L11 L18 L19 L20 L21 L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L24	5743886	differ\$5 remain\$4 subtra\$6 minu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L25	326204	L13 adj3 L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L26	8486	L13 adj3 L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L27	376	L25 same L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:05
L28	52	L27 same L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 10:45
L29	28	L28 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:03
L30	30502	keyword\$1 (key adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:02
L31	3	27 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:02
L32	O	31 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:04

L33	322	27 not 28 not 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:04
L34	154	33 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:07
L35	1784	L25 and L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:06
L36	24	35 and 24 and 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 11:06
L37	1	36 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 11:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>3</b>	4053663	requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:12
L2	2724958	necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:12
L3	316	non\$1necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:07
L4	702	non\$1requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:07
L5	796	no\$2requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:07
L6	372	no\$2necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:07
L7	3079	un\$1requir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:07
L8	467941	un\$1necess\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:08
L9	471688	5 6 7 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:08

L10	4891174	1 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:08
L11	6954034	(sum\$7 total\$5 accumulat\$4 aggregat\$4 add\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:09
L12	30502	keyword\$1 (key adj word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:11
L13	3030246	need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R	ON	2005/02/23 08:14
L14	1465023	essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:14
L15	39393	indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/02/23 08:14
L16	5979874	10 13 14 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:13
L17	7909	un\$1need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/02/23 08:14
L18	318	no\$2need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/23 08:14
L19	635	un\$1essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:14

L20	19203	no\$2essential\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:14
L21	0	un\$1indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/02/23 08:14
L22	8	no\$2indispensabl\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:22
L23	495977	9 17 18 19 20 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:23
L24	5743886	differ\$5 remain\$4 subtra\$6 minu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:26
L25	326204	11 adj3 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:26
L26	. 8486	11 adj3 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:33
L27	376	25 same 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:37
L28	1	27 same 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:38
L29	52	27 same 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/02/23 08:36


L30	1	29 and 12	US-PGPUB;	OR	ON	2005/02/23 08:37
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L31	1784	25 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:37
L32	27	31 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:40
L33	24	32 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:40
L34	5458	12 same 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:39
L35	2	31 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:40
L36	1	33 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:51
L37	0	35 and @ad<="19950904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 08:51

# No. Publication No.

Title

1. 10 - 307849(1998) RETRIEVING KEYWORD DETERMINING METHOD, ITS DEVICE, DOCUMENT RETRIEVING DEVICE, AND RECORDING MEDIUM

Copyright (C); 1998,2003 Japan Patent Office



## Web

Tip: Try removing quotes from your search to get more results.

Your search - "~summed ~necessity" "~summed ~non-necessity" ~keyword ~difference - did not match any documents.

### Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try Google Answers for expert help with your search.

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Print Format

ieee home | Search ieee | Shop | Web account | Contact ieee

Membership Publications/Services Standards Conferences Careers/Jobs



	Welcome United States Patent and Trademark Office
Help FAQ Terms IEI	E Peer Review Quick Links » See
Weschestol File Cores  - Home - What Can I Access? - Log-out  - Log-out  - Journals & Magazines - Conference - Proceedings - Standards	Your search matched <b>0</b> of <b>1130773</b> documents.  A maximum of <b>500</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevance Descending</b> order. <b>Refine This Search:</b> You may refine your search by editing the current search expression or enterinew one in the text box.  necessity <and>keyword<and>difference Check to search within this result set  <b>Results Key:</b> JNL = Journal or Magazine <b>CNF</b> = Conference <b>STD</b> = Standard</and></and>
O- By Author O- Basic O- Advanced O- CrossRef	Results: No documents matched your query.
O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library O- Access the IEEE Cotemprise File Cabinet	

itame | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Sack to Top

Copyright © 2004 IEEE — All rights reserved

HEEE HOME | SEARCH HEEE | SHOP | WEB ACCOUNT | CONTACT HEEE

Membership Publications/Services Standards Conferences Careers/Jobs



	Welcome United States Patent and Trademark Office
Help FAQ Terms IE	EE Peer Review Quick Links ** S
Westing to IEEE Cours  Home  What Can I Access?  Log-out  Edition 2 outputs  Journals & Magazines  Conference Proceedings  Standards	Your search matched 0 of 1130773 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.  Refine This Search: You may refine your search by editing the current search expression or enternew one in the text box.  Inon necessity <and>keyword<and>difference  Check to search within this result set  Results Key:</and></and>
Catrol  - By Author  - Basic  - Advanced  - CrossRef	JNL = Journal or Magazine CNF = Conference STD = Standard  Results: No documents matched your query.
O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library O- Access the IEEE Enterprise File Cabines	

Print Format

Home | Log.out | Journals | Conference Proceedings | Standards | Search by Author | Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Seek to You

Copyright © 2004 IEEE — All rights reserved

Subscribe (Full Service) Register (Limited Service, Free) Logic

Search: The ACM Digital Library The Guide

+"~summed ~necessity" +"~summed ~non-necessity" +~key



## Nothing Found

Your search for +"~summed ~necessity" +"~summed ~non-necessity" +~keyword ~difference did not return any results.

You may want to try an <u>Advanced Search</u> for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

#### **Quick Tips**

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize <u>proper nouns</u> to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

THIS PAGE BLANK WSPTL,